



10-YEAR OUTLOOK FOR THE GLOBAL SCANDIUM MARKET TO 2031

MAY 2021

A CONFIDENTIAL REPORT PREPARED BY CM GROUP

Sc



CONDITIONS OF USE

THIS REPORT HAS BEEN PREPARED BY THE CM GROUP.NET PTY LTD (ABN 69 089 166 512) (CM GROUP).

COPYRIGHT AND TRADE MARKS

CM GROUP IS THE OWNER OF THE COPYRIGHT AND ALL OTHER INTELLECTUAL PROPERTY RIGHTS IN THIS REPORT.

THE REPORT HAS BEEN PREPARED FOR THE CLIENT TO USE FOR ITS OWN INTERNAL PURPOSES. THE REPORT MUST NOT BE COPIED (EITHER IN WHOLE OR PART), DISTRIBUTED TO, USED OR RELIED ON BY ANY OTHER PERSON WITHOUT CM GROUP'S PRIOR WRITTEN CONSENT.

THE CM GROUP IS ALSO THE OWNER OF THE CM GROUP TRADE MARKS (WHETHER REGISTERED OR UNREGISTERED) AND EXPRESSLY PROHIBITS ANY USE OF THOSE TRADE MARKS FOR ANY PURPOSE UNLESS WITH THE CM GROUP'S PRIOR WRITTEN CONSENT OR AS OTHERWISE PERMITTED BY LAW.

DISCLAIMER

THIS REPORT HAS BEEN PREPARED ON THE BASIS OF ORIGINAL, INDEPENDENT RESEARCH BY THE CM GROUP. IT IS BASED ON INFORMATION AVAILABLE AT THE TIME THE REPORT WAS COMPILED, FROM SOURCES BELIEVED TO BE RELIABLE. WHILE THE CM GROUP HAS TAKEN CARE IN PREPARING THE REPORT, UNLESS SPECIFICALLY IMPLIED BY LAW, IT DOES NOT MAKE ANY REPRESENTATION OR WARRANTY THAT THE MATERIAL IN THE REPORT IS ACCURATE, COMPLETE OR UP TO DATE. THE CM GROUP IS UNDER NO OBLIGATION TO UPDATE THE MATERIAL IN THE REPORT IN FUTURE. THE CLIENT SHOULD MAKE ITS OWN ENQUIRIES TO SATISFY ITSELF AS TO THE CORRECTNESS AND CURRENCY OF THE MATERIAL PRESENTED.

SECURITIES AND OTHER PRODUCTS

THIS REPORT DOES NOT CONSTITUTE A RECOMMENDATION, INVITATION OR OFFER TO BUY OR SELL ANY SECURITY, STOCK, BUSINESS OR OTHER PRODUCT OR SERVICE IN ANY JURISDICTION, OR TO ENGAGE IN OR REFRAIN FROM ENGAGING IN ANY OTHER TRANSACTION.

COST AND MARKET ESTIMATES

THE CM GROUP ESTIMATES COSTS AND MARKET CHANGES BY EVALUATING INDUSTRY MARKET CONDITIONS AND GATHERING AVAILABLE INFORMATION AND DATA FROM THIRD PARTY SOURCES, AS OPERATING COMPANIES DO NOT GENERALLY DISCLOSE THEIR POSITIONS FOR INDIVIDUAL OPERATIONS.

AVAILABLE DATA VARIES GREATLY BETWEEN PROJECTS. IN PARTICULAR, FORECAST COSTS AND MARKET VOLUMES EMBODY A NUMBER OF SIGNIFICANT ASSUMPTIONS WITH RESPECT TO EXCHANGE RATES AND TECHNICAL VARIABLES. BECAUSE OF THESE FACTORS, DIRECT COMPARABILITY BETWEEN INDIVIDUAL FORECAST PROJECT COSTS AND MARKETS MAY BE LIMITED, AND SUCH COST AND MARKET ESTIMATES MUST BE TREATED WITH CAUTION.

FORWARD-LOOKING STATEMENTS

WITHOUT LIMITING THE FOREGOING, THIS REPORT CONTAINS FORWARD-LOOKING STATEMENTS WHICH ARE IDENTIFIED BY WORDS SUCH AS 'MAY', 'COULD', 'BELIEVES', 'ESTIMATES', 'TARGETS', 'EXPECTS', 'INTENDS' AND OTHER SIMILAR WORDS THAT INVOLVE RISKS AND UNCERTAINTIES.

THESE STATEMENTS ARE BASED ON AN ASSESSMENT OF PRESENT ECONOMIC AND OPERATING CONDITIONS, AND ON A NUMBER OF ASSUMPTIONS REGARDING FUTURE EVENTS AND ACTIONS THAT, AT THE DATE OF THIS REPORT, ARE EXPECTED TO TAKE PLACE.

SUCH FORWARD-LOOKING STATEMENTS ARE NOT GUARANTEES OF FUTURE PERFORMANCE AND INVOLVE KNOWN AND UNKNOWN RISKS, UNCERTAINTIES, ASSUMPTIONS AND OTHER IMPORTANT FACTORS, WHICH ARE BEYOND THE CONTROL OF THE CM GROUP AND WHICH COULD CAUSE THE ACTUAL OUTCOMES TO DIFFER MATERIALLY FROM THE OUTCOMES EXPRESSED OR ANTICIPATED IN THE FORWARD-LOOKING STATEMENTS.

THE CM GROUP CANNOT AND DOES NOT GIVE ANY ASSURANCE THAT THE RESULTS, PERFORMANCE OR ACHIEVEMENTS EXPRESSED OR IMPLIED BY THE FORWARD-LOOKING STATEMENTS CONTAINED IN THIS REPORT WILL ACTUALLY OCCUR AND THE CLIENT IS CAUTIONED NOT TO PLACE UNDUE RELIANCE ON THEM.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, NONE OF THE CM GROUP OR ITS OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, INFORMATION PROVIDERS, CONSULTANTS OR SUPPLIERS ACCEPTS ANY LIABILITY (IN NEGLIGENCE OR OTHERWISE) FOR ANY LOSS OR DAMAGE, WHETHER DIRECT OR INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE, SUSTAINED OR INCURRED BY THE CLIENT OR ANY OTHER PERSON AS A RESULT OF RELIANCE ON ALL OR ANY PART OF THIS REPORT.

10-YEAR OUTLOOK FOR THE GLOBAL **SCANDIUM** MARKET TO 2031

MAY 2021

A CONFIDENTIAL REPORT PREPARED BY CM GROUP

TABLE OF CONTENT

Glossary	xii
Executive Summary	1
1 Background	10
1.1 Scope	10
1.2 Terminology	10
1.3 Data Sources	10
1.4 The Sc Market and Value Chain	11
1.5 COVID-19	12
1.6 Recent Industry Developments	13
1.7 Proposed Mining Company and Aluminium Producer Agreements	13
1.8 History of Al-Sc Alloys	14
2 Mineral resources	15
2.1 China	15
2.1.1 REE Resources	16
2.1.2 TiO ₂ Resources	16
2.1.3 Tungsten Resources	16
2.1.4 Nickel Laterite Resources	16
2.1.5 Bauxite and Red Mud Resources	16
2.2 Non-China	17
2.2.1 Sc Mineral Resources	17
2.2.2 Red Mud Resources	17
2.2.3 Uranium Resources	17
2.2.4 REE Resources	17
2.2.5 Nickel Laterite Resources	17
2.2.6 Tungsten	18
2.2.7 Niobium	18
3 Scandium Metal and Halide Applications	19
3.1 Lighting	19
3.2 Copper, Nickel, Titanium, Magnesium and Molybdenum Scandium Alloys	19
3.3 Lasers	19
4 Solid Oxide Fuel Cell Scandia Demand	20
4.1 Fuel Cell Technology	20
4.2 Fuel Cell Industry Growth	21
4.3 SOFC outside China	23
4.4 SOFC in China	24
4.4.1 SOFC Policy	24
4.4.2 SOFCMAN	25

4.4.3	Jiangxi Size Materials	25
4.4.4	CCTC	26
4.4.5	Weichai Power	26
4.4.6	CGN	26
4.4.7	Huatsing Power	26
4.4.8	Shanxi Jincheng Anthracite Coal Mining Group	27
4.4.9	Wuhan Huake Fuelcell Technology Co., Ltd	27
4.4.10	ISOLID	27
5	Aluminium Alloys and Their Uses	28
6	Metallurgy of Al-Sc Alloys	32
6.1	How Scandium Improves Alloy Properties	32
6.2	The Importance of Casting Conditions	32
6.3	The Importance of Heat Treatment	32
6.4	Sc in Different Wrought Aluminium Alloy Series	33
6.4.1	Sc in 1xxx Alloys	34
6.4.2	Sc in 2xxx Alloys	35
6.4.3	Sc in 3xxx Alloys	35
6.4.4	Sc in 5xxx Alloys	35
6.4.5	Sc in 6xxx Alloys	36
6.4.6	Sc in 7xxx Alloys	36
6.4.7	Sc in Al-Si Casting Alloys	37
6.4.8	Sc in Al-Li Alloys	37
6.5	Sc Substitutions	38
7	Aluminium Master Alloy Producers	40
7.1	Master Alloy Production Processes	40
7.1.1	Sc Metal Production	40
7.1.2	Aluminothermic Reduction of Scandia	40
7.1.3	Reduction of Sc Halides	41
7.1.4	Hall Heroult Cell	41
7.1.5	Hoechst	41
7.1.6	LCM/SCALE	41
7.1.7	Other Possibilities	41
7.2	AMG (KB Alloys)	41
7.3	KBM Affilips	41
7.4	Rusal	42
7.5	Scandium International	42
7.6	RTA	42
7.7	HC Stark Tantalum & Niobium (now known as TANIOBIS)	42
7.8	Intermix Met	42
7.9	Chinese Al-Sc Hardener Suppliers	42

7.10	SLM Co. Ltd.	43
7.11	Nio Corp	43
7.12	Metalysis	43
8	Aluminium Producers with Limited Interest in Scandium	44
8.1	Constellium	44
8.2	AMAG	44
9	Aluminium Producers with A Known Interest in Scandium	45
9.1	Aluminium of Greece	45
9.2	Arconic/Alcoa	45
9.3	Hindalco/Novelis/Aleris	46
9.4	Rusal	47
9.5	RTA	48
9.6	Granges	49
9.7	Kobe Steel	49
9.8	Hydro/SAPA	49
9.9	Trimet	50
9.10	ALVANCE	50
9.11	Arabian Gulf Aluminium Smelters	50
9.12	Sumitomo	50
9.13	Kaiser Aluminium	50
9.14	Assan Aluminyum	51
9.15	UACJ	51
9.16	Kobe Steel	51
9.17	Nippon Light Metals	51
9.18	Downstream Users	51
9.18.1	3D Printing	51
9.18.2	KUMZ	53
9.18.3	Alcereco	53
10	Hydrometallurgical Technology	54
10.1	II-VI	54
10.2	MEAB	54
11	Research and Development	55
11.1	Chinese Researchers	55
11.2	NanoAI/North Western University	55
11.3	McMaster University	55
11.4	Russian and Other Institutes	55
11.5	Monash University	55

11.6	Deakin University	56
11.7	SCALE	56
12	Aerospace Companies	57
12.1	Airbus	57
12.2	Boeing	58
12.3	Bombardier	59
12.4	Embraer	60
12.5	COMAC	60
12.6	Lockheed Martin & Other Defence	60
13	Current and Future Key Market Segments	61
13.1	Master Alloys	61
13.2	Military	61
13.2.1	Vehicle Armour Plate	61
13.2.2	Personal Protection-body Armour	61
13.2.3	Ammunition Casings	61
13.3	Sporting Goods	61
13.3.1	Golf Clubs	61
13.3.2	Bicycles	62
13.3.3	Baseball Bats	63
13.3.4	Hockey-Ice	63
13.3.5	Hockey-Field	63
13.3.6	Tent Poles	63
13.3.7	Handguns	63
13.3.8	Lacrosse Sticks	63
13.3.9	Other Sporting Applications	64
13.4	Aerospace	64
13.4.1	Aircraft	65
13.4.2	Space Vehicles	65
13.4.3	Electric Aircraft and Drones	65
13.5	Automotive	66
13.5.1	EV Trends	67
13.5.2	Battery Housings for EV	68
13.5.3	Cables in Auto	70
13.5.4	HEX in EV	70
13.5.5	Auto Body Sheet (ABS) and Enclosures	70
13.5.6	Aluminium Freight Containers	71
13.5.7	Wheels	71
13.5.8	Castings	71

13.6	Trains	71
13.7	Marine	73
13.8	Welding Wire and Rod	75
13.9	Heat Exchangers	75
13.10	Extrusions	77
13.11	High Voltage Power Cables	77
13.12	Electronics	78
13.13	Specialty Foils	78
13.14	Renewable Energy Infrastructure	78
13.15	Personal Mobility and Small Vehicles	78
13.16	Medical	79
13.17	Additive Manufacture	79
13.17.1	LAM	79
13.17.2	WAAM	80
14	Chinese Scandium Demand	81
15	Scandium Supply and Cost Structures	82
15.1	Early Soviet Supply	82
15.2	Scandium Extraction Technology and Sources	82
15.3	Red Mud	83
15.4	Rare Earth Metals	85
15.5	Uranium	85
15.6	Titanium Slag and Pigment	86
15.7	Zirconium	88
15.8	Tungsten	88
15.9	Nickel Laterite	89
15.10	Chinese Supply	89
15.10.1	Doguide Group	91
15.10.2	Huizhou Top Metal Material Co (TOPM)	91
15.10.3	Hunan Oriental Scandium (Jiaozuo Rongjia Scandium)	91
15.10.4	Hunan High Broad New Material	92
15.10.5	Guangxi Maoxin Technology	92
15.10.6	CNMC (Guangxi)	92
15.10.7	Sichuan Lanthanum Rare Materials	92
15.10.8	Guangdong Orient Zirronic	92
15.10.9	Taojiang Ruilong Metal New Material Co., Ltd	93
15.10.10	Codos (Shanghai) Technology Development Co., Ltd.	93
15.10.11	MCC New Materials Technological Co., Ltd	93
15.11	Proposed Chinese Supply	93

16	Chinese Regulations	94
17	Current and Past Non-China Supply	95
17.1	Past Chinese Supply from REE Deposits	95
17.2	Past Soviet Supply	95
17.3	Past Bloom Flourite Supply	95
17.4	Sumitomo Nickel Laterite	95
17.5	Dalur JSC (Rosatom) Uranium	95
17.6	Other Potential Russian Supply	96
17.7	Rusal Red Mud	96
17.8	RTA TiO ₂ Slag	97
18	Proposed Non-China Production	98
18.1	Scandium International Mining (SCY) - Nyngan	100
18.2	CleanTeQ - Sunrise (Syerston)	101
18.3	Platina Resources Ltd. - Owendale	102
18.4	Australia Mines - Metallica - Greenvale/SCONI	102
18.5	Ardea Resources	105
18.6	Jervois Mining - Flemington	106
18.7	Hylea Metals-Lotus Resources	106
18.8	Collerina Cobalt- Alpha HPA	106
18.9	Alchemy - West Lynn	106
18.10	Victory Mines - Husky & Malamute	107
18.11	Clean Power Resources - Pacific Express	107
18.12	GME Resources	107
18.13	Axiom Mining	107
18.14	Centaurus Metals	107
18.15	REE Proposals	107
18.16	Grecian Red Mud - MYTILINEOS S.A.	107
18.17	ALUM - Romanian Red Mud	108
18.18	European Titania By-product Scandium	108
18.19	Saraf Agencies - Odisha, India	108
18.20	Meta Nikel Kobalt, Turkey	108
18.21	Niocorp - Elk Creek	108
18.22	Imperial Mining - Crater Lake	108

19	Production Cost	109
19.1	Chinese Production Costs	109
19.2	Proposed Non-China Mines	110
19.3	Production Capacity	111
19.4	Supply Outlook	111
20	Impact of Recycling	112
21	Al-Sc Alloy Demand	113
21.1	Scandium Market Prices	113
21.2	Price Sensitivity	115
21.3	Cost Benefit Analysis of Selected Applications	117
21.3.1	Aerospace 5xxx+Sc versus Al-Li	117
21.3.2	HEX Microtubes	120
21.3.3	Marine Alloy	120
21.4	Barriers to Al-Sc Alloy Uptake	121
21.4.1	Cost	121
21.4.2	Market Dynamics	121
21.4.3	Component Redesign	121
21.4.4	Alloy Qualification Procedures	121
21.4.5	Recycling	122
21.4.6	Competition from Existing Alloys	122
21.4.7	Supply Diversity	122
21.4.8	Sustainability	123
21.5	Opportunities	123
21.5.1	Master Alloy Production	123
21.5.2	Vertical Integration	123
21.5.3	New Alloys and Processes	123
22	Scenarios for Sc Supply, Demand & Price Outlook	124
22.1	Supply - Base Case	124
22.2	Demand - Base Case	126
22.3	Other Scenarios	128
22.4	Price Forecast	128
23	Wild Cards	130
Appendix A	Chinese Scandium Products Standard	131
Appendix B	Chinese REE Production Quotas	132

LIST OF FIGURES

Figure I	Global scandia consumption and forecast demand 2014 to 2031 by key market sector	1
Figure II	Scandia 99.99% purity historical and forecast prices	2
Figure III	Chinese scandia production and capacity 2020	3
Figure IV	Global scandia producer cost curve, 2021 (US\$/kg)	4
Figure V	Estimated alloying costs for selected conventional alloys and 5028 alloy containing 0.1% Sc. Sc price assumed to be US\$2,000/kg and lithium price US\$70/kg	4
Figure VI	Estimated trigger prices for different applications (US\$/kg scandium metal)	5
Figure VII	Estimated inducement (trigger) prices by application v estimated cumulative tonnage (tpa)	5
Figure VIII	Total megawatts of SOFC shipped by year	6
Figure IX	Forecast scandia market by key market sector (t, %), 2020 and 2031	7
Figure X	Historical and forecast scandia capacity by region 2014 to 2031 (tpa)	8
Figure XI	Historical and forecast scandia supply demand balance to 2031	8
Figure XII	Forecast global cost curve for scandia supply in 2026 (US\$/kg)	9
Figure 1.1	2020 estimated scandia demand by sector: tonnage and market share	11
Figure 1.2	Simplified scandium value chain showing actual and potential supply routes	12
Figure 1.3	Chinese scandia production historical and forecast to 2026	12
Figure 1.4	Number of articles with aluminium and Sc in the title	14
Figure 4.1	Schematic of working principle of SOFC	20
Figure 4.2	Fuel cell megawatts shipped by region to 2020	21
Figure 4.3	Fuel cell megawatts shipped by type to 2020	22
Figure 4.4	Recent growth in FC unit shipments by application in the fuel cell industry. Thousands of units	22
Figure 4.5	Recent growth in FC unit shipments by region and application in the fuel cell industry (Thousands of units)	22
Figure 4.6	Fuel cell shipments by type	23
Figure 4.7	Total megawatts of SOFC shipped by year	23
Figure 4.8	Typical FESEM picture of SSZ produced by SOFCMAN	25
Figure 5.1	Aluminium products produce by refiners and remelters	28
Figure 5.2	World primary aluminium production	29
Figure 5.3	Split of aluminium consumption by end use sector 2018	30
Figure 5.4	Split of aluminium consumption by end use sector 2050	30
Figure 5.5	Approximate split of aluminium consumption by sector and alloy	31
Figure 5.6	Approximate proportion of global aluminium consumption by alloy	31
Figure 6.1	Effect of Sc addition on yield stress across wrought alloy systems	33
Figure 6.2	Effect of Sc addition on ultimate tensile strength for selected alloys	34
Figure 6.3	Effect of Sc, addition to lxxx alloys on yield strength	34
Figure 6.4	Additional alloy cost of Sc versus property multiplier in lxxx alloys	35
Figure 6.5	Effect of Sc addition concentration on yield strength	36

Figure 7.1	2% Al-Sc hardener prices in China	43
Figure 9.1	Interior of Alcoa Al-Li cast house	46
Figure 9.2	Comparison of Aleris alloy 5028 containing Sc with conventional 2024	47
Figure 9.3	Property increase with Sc addition	48
Figure 9.4	Overview of RTFT flow sheet	49
Figure 9.5	3D printed bike frame from APworks using Scalmalloy	52
Figure 12.1	Evolution of composite usage in Airbus craft	57
Figure 12.2	Airbus A350 material proportions and applications	58
Figure 12.3	Proportion of weight by material in Boeing aircraft	59
Figure 12.4	Boeing 787 materials distribution by part	59
Figure 13.1	US lacrosse stick wholesale market	63
Figure 13.2	Airbus A350 material proportions and applications	64
Figure 13.3	Number of active earth satellites 1957-2020	65
Figure 13.4	Forecast North American light vehicle aluminium content	66
Figure 13.5	Change in aluminium content due to the switch from ICE to BEV vehicles	67
Figure 13.6	Various EV growth forecasts to 2040	68
Figure 13.7	Pressed sheet battery housing from Novelis	69
Figure 13.8	Audi e-tron 50 quattro battery enclosure	70
Figure 13.9	Body sheet applications	71
Figure 13.10	Rail car components suitable for aluminium	72
Figure 13.11	Deutsche Bahn ICE structure with extruded aluminium profiles	72
Figure 13.12	Austral passenger express 56 vessel contains around 90t of aluminium	73
Figure 13.13	Composite aircraft panel structure with WAAM stiffening beams	74
Figure 13.14	Examples of aluminium heat exchangers	76
Figure 13.15	Recrystallization and grain growth in conventional 3102 alloy micro-tubing. Left pre-braze. Right post braze	77
Figure 13.16	Electric sled for urban freight	79
Figure 14.1	Consumption structure of Sc products in China	81
Figure 15.1	CSIRO proposed flow sheet for extraction of scandia from red mud	84
Figure 15.2	Flow sheet used in pilot plant processing Greek red mud	84
Figure 15.3	Typical flowsheet for scandia extraction from REE ores	85
Figure 15.4	Flowsheet for scandia extraction from uranium ores	86
Figure 15.5	Scandia extraction from titaniferous slag	87
Figure 15.5	Typical Chinese flowsheet for extracting scandia from TiO ₂ pigment production	87
Figure 15.7	Recovery of Sc hydroxide from wolframite residue	88
Figure 15.8	Distribution of major scandia producers in China	91
Figure 15.9	Change of share ownership of Hunan Oriental and Jiaozuo Rongjia	92
Figure 15.10	Chinese scandia capacity and production 2020	93
Figure 17.1	Location of Dalur JSC and related operations	96

Figure 17.2	Industrial pilot plant of scandia extraction from bauxite residue at Kamensk Uralsky alumina refinery	97
Figure 18.1	Scandium production around the world	98
Figure 18.2	Current status of advanced Australian Sc projects	99
Figure 18.3	Location of Scandium International Mining Nyngan deposit	100
Figure 18.4	Schematic flowsheet for the Nyngan Scandium project	101
Figure 18.5	Location of the CleanTeQ Syerston Scandium project	101
Figure 18.6	Platina's Owendale project location	102
Figure 18.7	Location of Metallica Greenvale/SCONI project	103
Figure 18.8	SCONI flowsheet	104
Figure 18.9	Goongarrie project map	105
Figure 18.10	Goongarrie project map	106
Figure 19.1	Cost curve of scandia producers in China - 2020	110
Figure 19.2	Operating and capital costs per kg for the four Australian primary mine projects	110
Figure 19.3	Global scandia producer cost curve, 2021 (US\$/kg)	111
Figure 19.4	Forecast global cost curve for scandia supply in 2026	111
Figure 21.1	Prices for scandia 1991-2011 (USGS now only reports on 99.99% purity oxide)	113
Figure 21.2	USGS prices for 99% scandia from 1991-2011	113
Figure 21.3	Historical Chinese scandia price	114
Figure 21.4	Price for 99.99% oxide and 2% master alloy	114
Figure 21.5	Historical Price of 99.99% scandia and Sc metal (RMB/kg)	114
Figure 21.6	Typical costs of a variety of aluminium alloy additions	115
Figure 21.7	Estimated alloying costs for selected conventional alloys and 5028 alloy containing 0.1% Sc. Sc price assumed to be US\$2,000/kg, lithium price US\$70/kg	116
Figure 21.8	Estimated trigger prices for different applications (US\$/kg scandium metal).	117
Figure 21.9	Comparison of 2024 and Al-Li costs versus annual fuel savings from changing to Al-Li with a resulting 10% weight reduction	118
Figure 21.10	Weight reduction achieved in Alcoa-Bombardier study for Al-Li 2199 alloy versus 2024	119
Figure 21.11	Comparison of 2024 and 5xxx+ 0.2% Sc costs versus annual fuel savings from changing to 5xxx+Sc with a resulting 4% weight reduction	119
Figure 22.1	Historical and forecast scandia capacity by region 2014 to 2031(tpa)	125
Figure 22.2	Historical and forecast scandia supply demand balance to 2031	125
Figure 22.3	Forecast global cost curve for scandia supply in 2026	125
Figure 22.4	Forecast scandia market split by sector in 2031	127
Figure 22.5	Global scandia consumption and forecast demand 2014 to 2031 by key market sector	128
Figure 22.6	Scandia 99.99% purity history and forecast price	129

LIST OF TABLES

Table 1.1	Examples of agreements with downstream customers	13
Table 2.1	Various ore types in China containing Sc and their typical Sc concentrations	15
Table 2.2	Chemical composition of ore in Panzhihua vanadium-titanium magnetite	16
Table 4.1	SOFMAN specification of SSZ	25
Table 4.2	Jiangxi Size Materials specification of SSZ	26
Table 5.1	Aluminium wrought alloy codes	29
Table 5.2	Aluminium cast alloy codes	29
Table 6.1	3 rd generation aluminium lithium alloys	38
Table 9.1	Mechanical properties of Al-Mg-0.1%Sc (Rusal) and other commercial wrought alloys	48
Table 12.1	Properties of LAM produced Scalmalloy	58
Table 15.1	Sc content of red mud in Rusal's operations	83
Table 15.2	Major Chinese scandia producers	90
Table 15.3	Main production methods of scandia in China	90
Table 18.1	Proposed significant Australian scandia mines	99
Table 18.2	SCONI nickel and cobalt resources	104
Table 18.3	SCONI grades	105
Table 19.1	Cost structure of the method using TiO ₂ pigment acid waste as raw material	109
Table 19.2	Cost structure of the method using zirconia mother liquid as raw material	109
Table 21.1	Economics of heat exchanger tube	120
Table 21.2	Economics of marine sheet, Sc at US\$1,538/kg	121

Lined area for notes, consisting of multiple horizontal lines.

CM BUSINESS CONSULTING

T +61 8 8294 7261

E INFO@CMGROUP.NET

AUSTRALIA R17, HOLDFAST PROMENADE, GLENELG,
SOUTH AUSTRALIA, AUSTRALIA 5045

CHINA B1412, COFCO PLAZA
NO. 8 JIANGUOMENNEI AVENUE
BEIJING, 100005



cmgroup.net